© design by Dirk Wynants


Bistroo

extremis[®]



Dimensions


The Bistroo is available in 1 dimension



Box dimensions

The Bistroo comes in 1 box

<u>Box 1</u>: Bistroo



Box dimensions (inch)		L	w	н	Qty	Volume (ft3)	Gross weight (Ib)	Net weight (њ)	Packaging weight (Ib)
Bistroo	Box 1	29,53	24,02	11,02	1	4,59	61,73	52,03	9,70

Tabletop extension

The tabletop extension is available in 1 dimension

20,47

Tabletop extension box

The tabletop extension comes in 1 box

Box 2: tabletop extension

______ طبا ليل 39,37 Gross Net Packaging Qty Box dimensions (inch) L W н Volume (ft3) weight (Ib) weight (Ib) weight (Ib) 41,34 1 0,88 Tabletop extension Box 2 22,44 1,38 0,71 8,82 7,94

Table tray

 $\left(\right)$


The table tray is available in 1 dimension The table tray comes in 1 box Image: Ima	Table tray	Box 3	10,63	8,46	1,97	1	0,35	0,93	0,51	0,42
Image: 10,79 Box 3: table tray Image: 10,79 9,49	Box dimensions (inch)		L	W	н	Qty	Volume (ft3)			
The table tray is available in 1 dimension The table tray comes in 1 box	0,79				Box	<u>3</u> : table tra	ау			
	The table tray is available in 1 dimensio	n			The	table tray	comes in 1 box			

Cushions


The cushion is available in 1 dimension The optional cushions are delivered inside the box with the Bistroo: 0,68 lb/pc **Floor fastening**

Table tray box

The floor fastening is available in 1 dimension The optional floor fastening is delivered inside the box with the Bistroo: 0,29 lb/pc



13,39



Materials & colors

Tabletop, frame, seats & backrests	Sunbrella® cushio	ns Tables	
Papyrus white (RAL9018)	Gre	y chiné	Bamboo
Structured powder coating	Sunt	orella Natté	
Verdigris Structured powder coating		k taupe rella Natté	
Reed green (RAL6013)	Mar	ble	
Structured powder coating	Sunt	rella Lopi	
Copper brown (RAL8004) Structured powder coating		rcoal rrella Lopi	
Black red (RAL3007) Structured powder coating		f green rella Heritage	
Cobalt blue (RAL5013)	Indi	go	T
Structured powder coating	Sunt	orella Heritage	
Beige red (RAL3012)	Loto)	
Structured powder coating	Sunt	orella Domino	
Bottle green (RAL6007)	Cra	ps	
Structured powder coating	Sunt	rella Domino	

Materials	Key facts	Thickness	Layer thickness	Density	In/outdoor	Water	UV color fastness	Flame retarding
		inch	micron					
Structured pow- der-coated aluminium tabletop, seats & backrests	 A technique of applying dry paint to a part Electrostatically charged and sprayed onto the object Placed in an oven and powder particles melt and coalesce to form a continuous film More scratch-resistant than non structured powder-coating 	0,39	50 - 100	0,47 10 ³ lb/m ³	Outdoor & indoor	n.a.	Very good: colour can fade to some extent when expo- sed to UV	NEN-EN 13501-1 A2-s1*
Structured pow- der-coated stainless steel legs	 Easy to clean Stainless steel (for protection against rust), then powder-coated Placed in an oven and powder particles melt and coalesce to form a continuous film More scratch-resistant than non structured powder-coating 	0,08	50-100	0,50 10 ³ lb/m ³	Outdoor & indoor	n.a.	Very good: colour can fade to some extent when expo- sed to UV	NEN- EN13501- 1 A1 *
Bamboo extension tabletop & table tray	Oiled for better dirt resistance	0,79	n.a.	600 à 700 kg/ m³	Outdoor & indoor	n.a.	Wood turns grey after a while	/
Sunbrella® cushions	 100% Sunbrella Acrylic Best outdoor fabric available for making cushions Dirt repellent Not waterproof, store inside! Machine washable at max. 30°C. Ironing restores the protective layer 	0,01	n.a.	9,53 oz/ft²	Outdoor & indoor	The fa- bric has a water column of 350 mm (EN 20811)	7/8 (ISO 105-B02)	/
Stainless steel AISI 316 floor fastening	High rust resistancePeriodical maintenance required	0,06	n.a.	0,50 10 ³ lb/m ³	Outdoor & indoor version	n.a.	Very good	NEN- EN13501- 1 A1 *

NEN-EN13501-1 A1

Class A1 products will not contribute to fire in any stage, including fully developed fire. For this reason, they are assumed to be capable of satisfying all requirements of all lower classes as well.

NEN-EN13501-1 A2-sl

Satisfying the same criteria as class B for the SBI-test according to EN 13823. In addition, under conditions of a fully developed fire these products will not significantly contribute to the fire load and fire growth

Good to know

- Fits on a terrace or balcony of 47,24 x 47,24 inch.
- Water draining seat.
- Bistroo combines perfectly with Virus.Tabletop cut-out to fix accessories.

· Stackable up to 4 pieces.



Maintenance

POWDER COATED PARTS

- White powder coating obviously requires more maintenance.
- Clean stains with a magic eraser.

SUNBRELLA

- Shake or brush off loose dirt immediately.
- Spray Extremis Multi Cleaner.
- Use a soft brush and make circular movements.
- Let the suds soak in for a moment.
- Rinse thoroughly to remove all soap residue.
- Simply allow to dry.
- It's also possible to put the blanket and the pillow covers in a washing machine (max 40°C). Follow the cleaning instruction on the label

Floor fastening

Our Bistroo picnic table can be fixed to the floor, to prevent them from being moved, or worse, from being stolen. However, attaching it to the floor is not always enough, as bolts can always be unscrewed. We offer a connection piece that replaces the end cap at the bottom of a table leg.



F.A.Q.

Q: Is it possible to stack the table?

A: It is possible. You can stack Bistroo up to 4 pieces. To avoid dammage, use blankets.

Q: Is it easy to move the table?

A: The table is very light, so it can be moved easily.

Warnings A

<u>General</u>

- Do not use any sharp tools to open the packaging.
- We strongly advise against using power tools.
- Tripping hazard, mind your step.
- Do not put out cigarettes on the table.
- Not grafitti proof.
- Do not leave children unattended whilst playing on the table.
 To avoid danger of suffocation, keep plastic bags
- away from babies and children.
- Colors can differ over years and from batch to batch.

Product

• Anchoring the product has to be done by qualified people.

- For anchoring: use suitable bolts or screws from a specialized store depending on the material your terrace is made of.
- Stackable up to 4 pieces.
- Always stack the tables with 2 people.
- Only use Extremis accessories.
- Do not sit on the tabletop.
- Do not stand or jump on the seat or the tabletop.
- Max. 1 person or 120 kg per seat.

Powder coating

- White powder coating requires more maintenance.
 Do not use abrasive scouring powders or scourers as they will scratch the surface.
- Color can fade to some extent when exposed to UV.
- Flame retarding NEN-EN13501-1 A2-sl

Satisfying the same criteria as Class B for the SBI-test according to EN13823. In addition, under conditions of a fully developed fire these products will nog significantly contribute to the fire load and fire growth.

Dark colors can get very hot in sunny weather.

Sunbrella

- Not waterproof, store inside!
- Shake or brush off loose dirt immediately.
- UV color fasteness: 7/8 (ISO 105-B02).

The content of this document, in particular the mentioned models, is protected by copyrights and/or design rights. The present document and its content is communicated to you for information purposes only. Any partial or total reproduction or any other use without our prior written permission is strictly prohibited. This technical sheet remains subject to possible changes. All dimensions are in inch, unless mentioned otherwise. Extremis is not responsible for the errors in the documentation of products. All measurements are approximate and are provided for informational purposes only.

Tech sheet 20220323